# Data Sheet

We make sure



# AMILO Notebook Sa 3650 Express your passion

Issue January 2009

Version 2

Pages 5

Enjoy your personal independence and experience the smooth and pearly finish of the AMILO Notebook S series.

# **Key Features**

#### **Processor technology**

■ AMD next-generation mobile dual-core processor technology

#### **Operating System**

■ Windows Vista® Home Premium

### Innovation

■ Supporting AMILO GraphicBooster for superior discrete graphics performance for 3D gaming experience. Run up to 3 displays simultaneously, 2 of them via the AMILO GraphicBooster powered by ATI Mobility Radeon<sup>™</sup> HD 3870 premium graphics (512 MB dedicated video memory)

#### Reliability

- Spill-proof keyboard¹ to protect your notebook against accidentally spilt liquids
  - Enough time to shut down the notebook
  - Have the liquid removed from the notebook
  - Protects your investment and your data
- Engineered in Germany means the test center in Germany tests conformity to international standards and customer-specific requirements
- A+ grade LCD panels for better picture quality

#### **Mobility**

- 13.3-inch form-factor that fits in almost every bag
- Integrated draft-n Wireless LAN to go online when and wherever you want
- Energy-saving ATI Radeon<sup>™</sup> HD 3200 onboard graphics for an extended battery life of up to 4.5 hours

# **Entertainment and Multimedia**

- The integrated Logitech® QuickCam® with low-light technology for great video-quality even in low-light conditions and the built-in digital array microphone are perfect for Internet telephony (VoIP) and video chats
- LCD WXGA display with BrilliantView technology for vivid colors, amazing sharpness and impressive contrast
- Enjoy your favorite Hollywood blockbuster on an external display via DVI-I (with HDCP support)

#### More convenience thanks to

- The silent mode function that causes a noticeable reduction in fan noise
- The included protection sleeve to protect your notebook from bumps and scratches









Operating system and Recovery Operating system	Genuine Windows Vista® Home Premium (32-bit version)
Fujitsu Siemens Computers Recovery Program	Backup and restore the original status of the hard disk and create system restore disks
	or individual recovery media on CD or DVD are included
Product Design Color	Reveal white
Architecture System architecture Chipset	AMD next-generation mobile dual-core processor technology AMD 780G + SB700
Processors <sup>2</sup> AMD Turion™ X2 Ultra processor	ZM-80 (2.1 GHz, 2 MB L2 cache) ZM-82 (2.2 GHz, 2 MB L2 cache) ZM-84 (2.3 GHz, 2 MB L2 cache) ZM-86 (2.4 GHz, 2 MB L2 cache)
AMD Turion™ X2 Dual-Core processor or AMD Athlon™ X2 Dual-Core processor	RM-70 (2.0 GHz, 1 MB L2 cache) QL-60 (1.9 GHz, 1 MB L2 cache)
Memory	2 SO-DIMM memory slots (no memory on board)
Memory speed Memory type	800 MHz DDR 2 RAM
Memory modules	1024 or 2048 MB
Max. memory size <sup>2, 3</sup>	4096 MB
Drives	
Hard disk drive HDD type	SATA
HDD size	2.5-inch
HDD speed	5400 rpm
HDD cache	8 MB
HDD capacity <sup>2</sup>	250, 320 or 500 GB
Optical disc drive (built-in)	OATA II. LA
ODD type ODD technology	SATA, slim-slot SuperMulti-format DVD burner with double layer (DL) support
ODD read speed	CD-ROM 24x, DVD-ROM 8x
ODD write speed	CD-R 24x, CD-RW 16x, DVD+R 8x, DVD-R 8x, DVD+RW 8x,
·	DVD-RW 6x, DVD+R DL (8.5 GB) 4x, DVD-R DL (8.5 GB) 4x, DVD-RAM 5x
	DVD-RAINI 3X
<b>Display</b> Display type	BrilliantView LCD
Display type Display size	13.3-inch
Display resolution (intern)	1280 x 800 pixels
Display resolution (extern)	480p, 720p and 1080i
Resolution type	WXGA
Reaction time Brightness (typ.)	25 ms (typ.) 200 NIT
Contrast (typ.)	400 : 1
Compliance with standards	ISO 13406-2 class II
Graphics	
Graphic card full name Dedicated video memory	ATI Radeon™ HD 3200 64 MB dedicated local frame buffer video memory for extended battery life
Shared video memory <sup>4</sup>	Up to 1582 MB shared memory
3D Benchmark 2006 Graphic features	Up to 1500 points (depending on configuration)  Dual display support, to use LCD and external display via DVI-I simultaneously  DirectX® 10 support

Fujitsu Siemens Computers recommends Windows Vista® Home Premium Interfaces Video 1x DVI-I (incl. HDCP) Audio 1x line in, 1x microphone in, 1x line out/ headphone out combined with S/PDIF out Network 1x LAN (RJ-45) Wireless 1x WLAN, 1x BT Data 1x eSATA combined with USB, 2x USB 2.0, 1x IEEE1394, 1x ExpressCard slot (54 / 34 mm), 1x external graphic box port, 1x 15-in-1 card reader SD, miniSD, MicroSD, SDHC MS, MS-Duo MMC, RS-MMC, MMC-Micro MSPRO, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo, M2 xD picture card 1x DC-in Power supply Communication Integrated Bluetooth® 2.1 LAN (Local Area Network) Gigabit Ethernet (10 / 100 / 1000 Mbps) Built-in WLAN (Wireless Local Area Network) Yes WLAN type draft-n 802.11a/b/g/n WLAN max. date rate up to 300 Mbps WLAN encryption WEP, WPA and WPA2 For use in BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY Option<sup>2</sup> WLAN type draft-n 802.11b/g/n WLAN max. date rate up to 300 Mbps WLAN encryption WEP. WPA and WPA2 For use in BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY Multimedia Audio Support of high-definition audio for S/PDIF output with up to 7.1 channels Audio chip Realtek ALC888 Speakers 2x built-in speakers (1.5 W each) Microphone Built-in digital array microphone Subwoofer Input device Sound volume control via function key **Integrated Webcam** Image sensor 1.3 mega pixels Logitech® QuickCam® Frames per second 30<sup>6</sup> Features Auto focus Automatic brightness adjustment with status LED (blue: on, red: streaming / application on) Low-light technology for great video-quality even in dark surrounding Input devices / Control buttons Power button Located on top of the keyboard, back-lighted Spill-proof keyboard<sup>1</sup> with 85 keys Keyboard

Touchpad Hidden touchpad, with left and right mouse button,

touchpad disable function via function key combination (Fn+F6)

Multimedia keys Located on top of the keyboard to launch the following applications:

- Silent mode function (reduce noise level / fan speed, by reducing the CPU performance, office applications, Internet and DVD playback are not affected)
- DVD playback
- ODD eject

Hot keys	The following hot keys or key combinations are available
	■ Fn+F1 WLAN / Bluetooth on / off
	■ Fn+F3 Mute on / off
	■ Fn+F4 Volume down
	■ Fn+F5 Volume up
	■ Fn+F6 Touchpad on / off
	■ Fn+F7 Camera on / off
	■ Fn+F8 Brightness down
	■ Fn+F9 Brightness up
	■ Fn+F10 Display switch
	■ Fn-F11 Silent mode
	■ Fn+F12 S3 Sleep mode
Otation in diagram	TI (1 11 0 (1 15D
Status indicators	The notebook has 3 status LEDs:
	■ Power status (& suspend)
	Blue (always on): on; Blue blinking: stand by, None: off
	<ul><li>Battery charge</li></ul>
	Blue (always on): full, Blue blinking: charging;
	Red blinking: < 10 % capacity
	■ WLAN / Bluetooth
	Blue: on; None: off
Security	
Supervisor and user password	Yes
Kensington lock	Yes
Lid switch (hidden)	Yes
ACPI functions	ACRI 2.0 compliant for Vista requirement
ACPI functions	ACPI 3.0 compliant for Vista requirement
	<ul><li>Power on stand by (S1 LCD off)</li></ul>
	<ul><li>Stand by / energy saving mode (S3 save to RAM)</li></ul>
	<ul><li>Hibernate mode (S4 save to disk)</li></ul>
	<ul><li>Off mode (S5 soft off)</li></ul>
Power Şystem	
Battery'	
Battery type <sup>2</sup>	Lithium-Ion battery
7 71	6 cells, 11.1 V / 2600 mAh (cell) / 4400 mAh (pack) or
	9 cells, 14.8 V / 2600 mAh (cell) / 4800 mAh (pack)
	3 66113, 14.3 V / 2000 111/11 (6611) / 4000 111/11 (pack)
Battery life (idle mode) <sup>8</sup>	Up to 4:25 hours (9-cell); up to 3:10 hours (6-cell)
Dattery life (lule fridue)	
Battery life (DVD playback) <sup>9</sup>	Up to 3:10 hours (9-cell); up to 2:00 hours (6-cell)
Battery charging time (idle mode) <sup>10</sup>	Up to 1:40 hours (9-cell); up to 1:25 hours (6-cell)
Battery charging time (maximum active mode) <sup>11</sup>	Up to 2:35 hours (9-cell); up to 1:40 hours (6-cell)
Battery charging time (normal use) <sup>12</sup>	Up to 1:55 hours (9-cell); up to 1:25 hours (6-cell)
Battery charging time (off mode)	Up to 1:40 hours (9-cell); up to 1:28 hours (6-cell)
battery charging time (on mode)	op to 1.40 flours (5 con), up to 1.20 flours (6 con)
AC Adapter	Dynamic charge supported, ACPI 3.0 supported
Wide Range AC adapter	110 - 240 V AC, 50 - 60 Hz
Output	90 W with 20 V DC, 4.5 A
Output	30 W Will 20 V DO, 4.3 A
Energy consumption	
S0 (idle mode)	15.9 W
CO (may postive mode) 13	
S0 (max. active mode) <sup>13</sup>	30.2 W
S3 (stand by / energy saving mode)	0.43 W
S4 (hibernate)	0.01 W
S5 (off mode)	0.01 W
N. C.	
Noise emission	27 F JD(A) (OF C JD(A) with all and an all a
Idle mode <sup>14</sup>	27.5 dB(A) (25.6 dB(A) with silent mode)
Maximum active mode <sup>15</sup>	33.2 dB(A) (25.7 dB(A) with silent mode)
Operating conditions	
Operating conditions Operational	5 °C to 35 °C (ambient temperature)
Operational	10 % to 90 % relative humidity, non-condensing
	. 5 /5 to 55 /6 foldar o framidity, from condensing
Dimensions and weight	
$W \times D \times H$	318 x 235 x 36.5 (front) / 41.0 (back) mm
Weight	2.4 kg <sup>16</sup>
-	

Certifications	GOST (WLAN) CE Marking
	R&TTE (WLAN, Bluetooth®)
Warranty	Country specific terms
Application Software	
Home office	Microsoft® Works
	Microsoft® Office Home and Student Trial
	Adobe Reader
	Windows Mail (within Vista operating system) Windows Calendar (within Vista operating system)
A A 111	
Multimedia	Nero Essentials S (CD / DVD write software)
	Vista DVD Playback Pack (DVD playback software) Windows Media Center (within Windows Vista® Home Premium
	operating system)
	Windows Media Player (within Vista operating system)
	Logitech® QuickCam® application software
Internet	Microsoft® Internet Explorer
	Country specific Internet provider
Security	Norman security software solution
Accessories	
Included	AC adapter 90 W
	First Battery 6 or 9 cells
	Notebook protection sleeve Cleaning wipe
	Glearing wipe
Optional	Find out more: www.fujitsu-siemens.com/accessories
Manuals	Manual (on hard disk), quick start guide, safety guide, warranty guide,
	recovery guide
Drivers	Updates downloadable at http://www.fujitsu-siemens.com
Awarda	

# Awards



IFA PreView Germany – 07/2008 "IFA Preview 2008 Design Award"

Depending on exact configuration. Please check at your local retailer

- 1024 MB system memory enables up to 447 MB static and shared memory
- 2048 MB system memory enables up to 959 MB static and shared memory
- 3072 MB system memory enables up to 1471 MB static and shared memory
- 4096 MB system memory enables up to 1582 MB static and shared memory
- <sup>5</sup> An adapter is needed for the following card formats: RS-MMC, MMC-Micro, miniSD, MicroSD, SDHC, MS-Duo, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo, M2
- <sup>3</sup> AMILOcam frame rate can vary significantly depending on the used software application
- <sup>7</sup> DISCLAIMER: Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage. The recharge capacity may decrease after some months so that the battery lifetime as well as operating time can not be assured for the whole lifetime of the notebook
- <sup>8</sup> Tested with 3DMark 4.0.1 ("power saver mode")
  <sup>9</sup> DVD playback tested with Vista DVD playback
- 10 System in Vista idle / power saving mode
- 11 Tested with 3DMark 2003
- <sup>12</sup> DVD playback tested with Vista DVD playback
- <sup>13</sup> Tested with 3DMark 2006
- <sup>14</sup> Tested with QAFE 8.01, sieve.exe, Diskload.exe according to ISO 7779 and ISO 9296
- <sup>15</sup> Tested with QAFE 8.01, sieve.exe, Diskload.exe according to ISO 7779 and ISO 9296
- <sup>16</sup> Weight may vary depending on actual configuration

The configuration described in this document is generic only and non-binding. For the exact configuration of your AMILO, please contact your licensed dealer.

<sup>&</sup>lt;sup>1</sup> DISCLAIMER: The keyboard is spill-proof up to 50ml. This is enough to protect your notebook from an accidental spill. However, we recommend a backup as well as a system shut-down should liquids come into contact with the keyboard. The spill-proof protection does not prevent data loss caused by water damage. If this should happen, please contact your local customer service desk.

<sup>3</sup> DISCLAIMER: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4096 MB RAM

<sup>&</sup>lt;sup>4</sup> Shared video memory size may vary depending on configuration. Used video memory size depends on Microsoft® Windows Vista® memory management